EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3042	((color same (gamut or profile or map$5 (range))) same (network$5 or lan or wan or internet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:19
S67	2	S65 and (boundary) same (absolute near3 colorim$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:20
S66	0	S65 and (map$5 near4 boundary) same (absolute near3 colorim$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:21
S68	7	S65 and (map$5 near4 (surface or boundary)) and (absolute near3 colorim$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:22
S69	5	S65 and (map$5 near4 (surface or boundary)) and (map$5 near4 (inside or within or in) near4 (gamut or range or boundary or surface)) and (absolute near3 colorim$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:23
S71	40	S65 and (map$5 near4 (surface or boundary)) and (map$5 near4 (inside or within or in) near4 (gamut or range or boundary or surface)) and ((preserv$5 or unchang$5 or keep$5 or ignor$5 or avoid$5) near4 (within or "in" or inside))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:33
S72	11	S65 and (map$5 near4 (surface or boundary)) and (map$5 near4 (inside or within or in) near4 (gamut or range or boundary or surface)) and ((preserv$5 or unchang$5 or keep$5 or ignor$5 or avoid$5) near4 (within or "in" or inside)) and ((select$5 or choos$5) near3 map$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:38
S73	21	S65 and (map$5 near4 (edge or surface or boundary)) and (map$5 near4 (inside or within or in) near4 (gamut or range or boundary or surface)) and (absolut$5) and (perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:43
S74	3	S65 and (map$5 near4 (edge or surface or boundary)) and (map$5 near4 (inside or within or in) near4 (gamut or range or boundary or surface)) and (absolut$5 with intent) and (perceptual with intent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:44
S75	5	S65 and (map$5 near4 (edge or surface or boundary)) and (absolut$5 with intent) and (perceptual with intent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:45
S77	5	S65 and (map$5 near4 (edge or surface or boundary)) and (absolut$5 with (render$5 or map$5 or intent)) and (perceptual$5 with (render$5 or map$5 or intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:46
S76	2	S65 and (map$5 near4 (edge or surface or boundary)) and (absolut$5 with map$5) and (perceptual$5 with map$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:46
S70	145	S65 and (map$5 near4 (surface or boundary)) and (map$5 near4 (inside or within or in) near4 (gamut or range or boundary or surface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:47

S78	12	S65 and ((select$5 or choos$5 or designat$5 or optimum or determin$5) near6 (map$5 near4 (edge or surface or boundary))) and ((select$5 or choos$5 or designat$5 or optimum or determin$5) near6 (map$5 near4 (inside or within or in) near4 (gamut or range or edge or surface or boundary)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:01
S79	140	(select$5 or choos$5 or designat$5) near6 ((gamut) near3 map$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:06
S80	2	S79 and (color near4 (out or outside or beyond or exceed$5) with (map$5 near2 (boundary or surface))) and (color near4 ("in" or inside or within or reproducible or below or less or lower) with (unmap$5 or unchang$5 or preserv$5 or keep$5 or maintain$5 or left))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:15
S81	4	S79 and (color near4 (out or outside or beyond or exceed$5) same (map$5 near2 (boundary or surface))) and (color near4 ("in" or inside or within or reproducible or below or less or lower) same (unmap$5 or unchang$5 or preserv$5 or keep$5 or maintain$5 or left))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:18
S83	2	S82 and (color near4 (out or outside or beyond or exceed$5) same (map$5 near5 (boundary or surface) with ("in" or inside or within)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:19
S82	31	S79 and (gamut near3 clip$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:23
S84	8	S79 and ((gamut near3 clip$5) same (boundary or surface or edge)) and ((within or "in" or inside or into) near4 (boundary or surface or edge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:27
S85	18	S79 and ((gamut near3 (compres$5 or clip$5)) same (boundary or surface or edge)) and ((within or "in" or inside or into) near4 (boundary or surface or edge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:30
S86	8	S79 and ((gamut near3 (compres$5 or clip$5)) same (map$5 with (boundary or surface or edge))) and (map$5 with (within or "in" or inside or into) near4 (boundary or surface or edge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:37
S87	30	S79 and ((out or outside or exceed$5 or unreproducib$5 or unprint$5 or external$5) with (compres$5 or clip$5 or map$5) with (boundary or surface or edge)) and ((out or outside or exceed$5 or unreproducib$5 or unprint$5 or external$5) with (compres$5 or clip$5 or map$5) with ((within or "in" or inside or into or internal$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:45
S65	1346	(gamut) near3 map$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:58
S88	12	(gamut) near3 map$5 and lin.in. and (out-of-gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:03
S89	1	"6421142".pn. and (map$5 near5 (inside or within))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:16

S90	1	"6421142".pn. and (map$5 near5 (in-gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:18
S92	2	pop.in. and gamut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:26
S91	1	"6421142".pn. and (map$5 near5 (in-gamut)) and (map$5 with (inside or within or internal$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:30
S94	2	"5,185,661".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:31
S93	1	"6421142".pn. and (map$5 near5 (in-gamut)) same (map$5 near5 out-of-gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:31
S95	40	("5185661" | "5239370" | "5299291" | "5339176" | "5450216" | "5452112" | "5481380" | "5483360" | "5489998" | "5491568" | "5510910" | "5539540" | "5543940" | "5552904" | "5561459" | "5581376" | "5583666" | "5594557" | "5610732" | "5611030" | "5649072" | "5650942" | "5692071" | "5699491" | "5704026" | "5712925" | "5721572" | "5740076" | "5754184" | "5883632" | "5991511" | "6005968" | "6053609" | "6160644" | "6181445" | "6185004" | "6204939" | "6205246" | "6225974" | "6313925"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/18 12:33
S96	5	S95 and (map$5 same perceptual$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:03
S99	5	lin.in. and (map$5 with (in adj2 gamut)) and (map$5 with (out adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:05
S98	5	lin.in. and (gamut) and (map$5 with (in adj2 gamut)) and (map$5 with (out adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:05
S97	0	lin.in. and (gamut) and (map$5 with (in adj2 gamut)) same (map$5 with (out adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:05
S100	5	lin.in. and (gamut) and (map$5 with (("in" or inside) near2 gamut)) same (map$5 with (out adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:06
S101	5	lin.in. and (map$5 with (("in" or inside) near2 gamut)) same (map$5 with (out adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:07

EAST Search History

S10 3	6	(gamut with map$5) and (perceptual$5 with map$5) same preserv$5 same intent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:08
S10 2	23	(gamut with map$5) and (perceptual$5 with map$5) same preserv$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:08
S10 4	11	(gamut with map$5) and (perceptual$5 with map$5) same preserv$5 and intent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:13
S10 5	0	(gamut with map$5) and (perceptual$5 with intent) and (absolut with intent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:14
S10 8	1	"7161710".pn. and (accura$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:29
S11 3	0	"835163".ap. and (accura$5 same separat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:30
S11 2	0	"835163".ap. and (preserv$5 same accura$5 same separat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:30
S11 1	0	"835163".ap. and balanc$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:30
S11 0	0	"835163".ap. and balanc$5 same preserv$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:30
S10 9	0	"835163".ap. and balanc$5 with preserv$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:30
S11 6	2	"835163".ap. and (accura$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:31
S11 5	1	"835163".ap. and (accura$5 and separat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:31
S11 4	1	"835163".ap. and (accura$5 and separat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:31

S10 6	29	(gamut with map$5) and (perceptual$5 with intent) and (absolute with intent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:32
S11 9	1	"7161710".pn. and ((select$5 or choos$5) with (intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:38
S11 8	0	"7161710".pn. and (user with (select$5 or choos$5) with (intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:38
S11 7	8	(gamut with map$5) and ((perceptual$5 with intent) same (preserv$5)) and ((absolute with intent) same preserv$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:38
S12 0	1	"7161710".pn. and (user same (select$5 or choos$5) with (intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:39
S12 3	0	"7161710".pn. and document with map$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:55
S12 1	1	"7161710".pn. and (user same (select$5 or choos$5) same (intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:55
S12 2	1	"7161710".pn. and document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:01
S12 6	0	"5668636".pn. and (map$5 with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:05
S12 8	1	"5668636".pn. and (map$5 same color same document same select$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:06
S12 7	1	"5668636".pn. and (map$5 same color same document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:06
S13 0	1	"7161710".pn. and (image with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:08
S12 4	0	"7161710".pn. and document same map$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:08

S12 9	1	"7161710".pn. and (document with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:16
S13 1	3	"6549654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:21
S13 2	1	"6549654".pn. and map$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:25
S13 3	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:26
S13 5	0	"835163".ap. and (need$5 same map$5 same document same render$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:27
S13 4	2	"835163".ap. and (need$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:27
S13 6	1	"835163".ap. and (need$5 same map$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:28
S13 7	1	"835163".ap. and "816"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:29
S13 8	1	"835163".ap. and custom with map$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:30
S13 9	1	((determin$5 or judg$5 or discriminat$5) near5 (color near3 map$5)) same (color near3 (image or document or original)) same (render$5) same ((gamut or range) near5 (print$5 or output$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:32
S14 2	5	((determin$5 or judg$5 or discriminat$5 or designat$5 or sett$5 or select$5 or choos$5) near5 ((gamut or color) near3 map$5)) same ((gamut or range) near3 (image or document or original or (source near2 color))) same (render$5) same ((gamut or range) near5 (print$5 or output$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:38
S14 4	1	"6549654".pn. and (white near3 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:39
S14 3	1	"6549654".pn. and (white near3 pixel) same off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:39

S12 5	2	"5668636".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:40
S14 7	2	"5668636".pn. and (color same render$5 same (map$5 or transform$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:41
S14 5	0	"5668636".pn. and (color same render$5 same (map$5 or transform$5) same (gamut or range) same print$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:41
S14 9	1	"5668636".pn. and ((gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:43
S14 8	1	"5668636".pn. and (c(gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:43
S14 6	0	"5668636".pn. and (color same render$5 same (map$5 or transform$5) same (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:43
S14 1	5	((determin$5 or judg$5 or discriminat$5 or designat$5 or sett$5 or select$5 or choos$5) near5 (color near3 map$5)) same ((gamut or range) near3 (image or document or original or (source near2 color))) same (render$5) same ((gamut or range) near5 (print$5 or output$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:44
S14 0	8	((determin$5 or judg$5 or discriminat$5 or designat$5 or sett$5 or select$5 or choos$5) near5 (color near3 map$5)) same (color near3 (image or document or original)) same (render$5) same ((gamut or range) near5 (print$5 or output$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:45
S15 0	8	((determin$5 or judg$5 or discriminat$5 or designat$5 or sett$5 or select$5 or choos$5) near5 (color near3 map$5)) same (color near3 (image or document or original)) same (render$5) same ((gamut or range) near5 (print$5 or output$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:46
S15 1	14	((determin$5 or judg$5 or discriminat$5 or designat$5 or sett$5 or select$5 or choos$5 or need$5 or necessary) near5 ((gamut or color) near3 map$5)) same ((gamut or range or color) near3 (image or document or original)) same (render$5) same ((gamut or range) near5 (print$5 or output$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:49
S15 2	17	((determin$5 or judg$5 or discriminat$5 or designat$5 or sett$5 or select$5 or choos$5 or need$5 or necessary) near5 ((gamut or color) near3 map$5)) same ((gamut or range or color) near3 (source or image or document or original)) same (render$5) same ((gamut or range) near5 (print$5 or output$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:50
S15 6	3	S155 and (render$5 near3 intent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:16
S15 5	77	(selective or variable) near4 (gamut or color) near3 map$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:16

S15 4	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:16
S15 3	567	((determin$5 or judg$5 or discriminat$5 or designat$5 or sett$5 or select$5 or choos$5 or need$5 or necessary) near5 ((gamut or color) near3 map$5)) and ((gamut or range or color) near3 (source or image or document or original)) and ((select$5 or choos$5 or chosen or designat$5) (render$5)) and ((gamut or range) near5 (print$5 or output$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:17
S15 7	12	((determin$5 or judg$5 or discriminat$5 or designat$5) near5 (requir$5 or need$5 or necessary) near5 ((gamut or color) near3 map$5)) and ((gamut or range or color) near3 (source or image or document or original)) and ((select$5 or choos$5 or chosen or designat$5) (render$5)) and ((gamut or range) near5 (print$5 or output$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:18
S15 8	2	((determin$5 or judg$5 or discriminat$5 or designat$5) near5 (requir$5 or need$5 or necessary) near5 ((gamut or color) near3 map$5)) and ((gamut or range or color) near3 (source or image or document or original)) and ((select$5 or choos$5 or chosen or designat$5) with (render$5)) and ((gamut or range) near5 (print$5 or output$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:24
S15 9	0	((determin$5 or judg$5 or discriminat$5 or designat$5) near5 (requir$5 or need$5 or necessary) near5 ((gamut or color) near3 map$5)) and ((determin$5 or judg$5 or discriminat$5 or designat$5) near5 (colorimetric$5)) and ((determin$5 or judg$5 or discriminat$5 or designat$5) near5 (perceptual$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:25
S16 0	2	((determin$5 or judg$5 or discriminat$5 or designat$5) near5 ((gamut or color) near3 map$5)) and ((determin$5 or judg$5 or discriminat$5 or designat$5) near5 (colorimetric$5)) and ((determin$5 or judg$5 or discriminat$5 or designat$5) near5 (perceptual$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:30
S16 1	3	"6549654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:47
S16 3	1	"6549654".pn. and profile with gamut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:50
S16 4	1	"6549654".pn. and profile with gamut with printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:51
S16 2	5	"6693718".pn. "6633400".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:56
S16 6	1	"6633400".pn. and plural$5 with "50"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:58
S16 5	1	"6633400".pn. and plural$5 near4 print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:58
S16 8	1	"6633400".pn. and "50" same plural$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:59

S16 7	1	"6633400".pn. and "50"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:59
S10 7	0	"7161710".pn. and (accura$5 same colorimet$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:01
S16 9	1	"6549654".pn. and (profile with stor$5 with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:02
S17 0	1	"6549654".pn. and (profile with fetch$5 with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:10
S17 2	0	"835163".ap. and (best$6 same volume and area)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:11
S17 1	0	"835163".ap. and (best$6 same volume same area)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:11
S17 5	0	"835163".ap. and ((volume))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:12
S17 4	0	"835163".ap. and ((volume same area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:12
S17 3	1	"835163".ap. and (best$6 same (volume or area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:12
S17 6	1	"835163".ap. and ((volumes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:13
S17 7	2	"6268930".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:14
S17 9	0	"6549654".pn. and volumes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:15
S17 8	0	"6549654".pn. and volume	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:15

S180	2	"6268930".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:18
S181	1	"6549654".pn. and (percentage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:19
S183	1	"6549654".pn. and degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:20
S182	1	"6549654".pn. and (percen$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:20
S184	1	"6549654".pn. and degree and percent$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:21
S185	1	"6549654".pn. and degree and (ratio or percent$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:27
S187	1	"6549654".pn. and degree and area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:28
S186	0	"6549654".pn. and degree same area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:28
S188	1	"6549654".pn. and ability near3 degree and area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:47
S190	33	(control$5) with perceptual with map$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:50
S189	5	(balanc$5 or composite or combin$5) with perceptual with colorimetric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:50
S192	13	lin.in. and out-of-gamut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:52
S191	1	((control$5) with perceptual with map$5) same ((within or inside or internal$5) near4 (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:53

S19 4	0	S193 and (perceptual with (intent or map$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:54
S19 5	0	S193 and (perceptual same (intent or map$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:55
S19 3	67	((control$5) with (map$5) same ((within or inside or internal$5) near4 (gamut or range)) same distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:56
S19 6	0	S193 and (perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:57
S19 7	131	((control$5) with (map$5) with (distance or target or point)) same (map$5 with ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:58
S19 8	3	S197 and (perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:59
S20 0	10	S199 and (perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:00
S19 9	677	((control$5 or reduc$5 or shorten$5 or balanc$5) with (map$5) with ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:01
S20 1	170	((reduc$5 or shorten$5 or decreas$5) with (map$5) with ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:08
S20 4	0	((adjust$5) with (map$5) adj2 (location or point or destination)) same (color with ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:10
S20 3	2	((control$5) with (map$5) adj2 (location or point or destination)) same (color with ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:10
S20 5	8	((adjust$5) with (map$5) adj2 (location or point or destination)) and (color with ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:11
S20 6	30	((adjust$5 or correct$5 or limit$5) with (map$5) adj2 (distance or location or point or destination)) and (color with ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:13

S20 7	12	((adjust$5 or correct$5 or limit$5 or reduc$5 or clip$5) with (map$5) adj2 (amount or magnitude or distance or location or point or destination)) same (map$5 with ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:16
S20 8	26	((adjust$5 or correct$5 or limit$5 or reduc$5 or clip$5 or control$5 or variable) with (map$5) adj2 (amount or magnitude or distance or location or point or destination)) same (map$5 with ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:17
S20 9	23	((adjust$5 or correct$5 or limit$5 or reduc$5 or clip$5 or control$5 or variable) with (map$5) adj2 (amount or magnitude or distance or location or point or destination)) same ((point or location or destination or color) near4 ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:19
S20 2	16	S201 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:19
S21 0	169	((adjust$5 or correct$5 or limit$5 or reduc$5 or clip$5 or control$5 or variable) with (map$5) with (amount or magnitude or distance or location or point or destination)) same ((point or location or destination or color) near4 ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:24
S21 3	69	S212 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:25
S21 1	35	S210 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:25
S21 2	179	((adjust$5 or correct$5 or limit$5 or reduc$5 or clip$5 or control$5 or variable) with (map$5) with (point or location or destination or color) near4 ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:29
S21 4	25	((shift$5) with (map$5) with (point or location or destination or color) near4 ((within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:32
S21 6	10	(mix$5 or between or weigh$5) with perceptual with colorimetric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:40
S21 5	1	(user near3 (adjust$5 or correct$5 or modif$7 or shift$5 or balanc$5 or reduc$5 or push$5) with ((map$5) near3 (point or location or destination or color) near4 (within or inside or internal$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:42
S21 7	17	(user near3 (adjust$5 or correct$5 or modif$7 or shift$5 or balanc$5 or reduc$5 or push$5 or select$5 or.choos$5) with ((map$5) near3 (point or location or destination or color) near4 (within or inside or internal$5) same (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:45
S21 8	109	((adjust$5 or correct$5 or modif$7 or shift$5 or balanc$5 or reduc$5 or push$5 or select$5 or choos$5) with ((map$5) near3 (point or location or destination or color) near4 (within or inside or internal$5) same (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:54

S21 9	339	((adjust$5 or correct$5 or modif$7 or shift$5 or balanc$5 or reduc$5 or push$5 or select$5 or choos$5) with (point or location or destination or color) near4 (within or inside or internal$5) same (gamut or range)) same (map$5 with (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:55
S22 0	276	((adjust$5 or correct$5 or modif$7 or shift$5 or balanc$5 or reduc$5 or push$5 or select$5 or choos$5) with (point or location or destination or color) near4 (within or inside or internal$5) with (gamut or range)) same (map$5 with (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:56
S22 2	26	((adjust$5 or correct$5 or modif$7 or shift$5 or balanc$5 or reduc$5 or push$5 or select$5 or choos$5) with (point or location or destination or color) near4 (within or inside or internal$5) with (gamut or range)) same (map$5 with (gamut or range)) and (map$5 with perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 18:00
S22 1	78	((adjust$5 or correct$5 or modif$7 or shift$5 or balanc$5 or reduc$5 or push$5 or select$5 or choos$5) with (point or location or destination or color) near4 (within or inside or internal$5) with (gamut or range)) same (map$5 with (gamut or range)) and perceptual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 18:00

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	91	(user with (configur$5 or adjust$5 or correct$5 or modif$7 or shift$5 or balanc$5 or reduc$5 or push$5 or select$5 or choos$5) with (gamut) with map$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:25
S3	45	S1 and (perceptual same gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:47
S4	4	S1 and (perceptual same colorimetric$5 same (balanc$5 or mix$6 or weigh$5 or combin$6 or merg$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:21
S5	12	(gamut with map$5) and (perceptual same colorimetric$5 same (balanc$5 or mix$6 or weigh$5 or combin$6 or merg$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:23
S6	4	(gamut) and (perceptual$5 with colorimetric$5 with (balanc$5 or mix$6 or weigh$5 or combin$6 or merg$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:24
S7	6	(gamut) and (perceptual$5 with colorimetric$5 with (tradeoff or compromis$5 or balanc$5 or mix$6 or weigh$5 or combin$6 or merg$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:24
S8	2	(user with (configur$5 or adjust$5 or correct$5 or modif$7 or shift$5 or balanc$5 or reduc$5 or push$5 or select$5 or choos$5) with (perceptual$5) with map$6) and (gamut with map$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:27
S9	14	(user with (configur$5 or adjust$5 or correct$5 or modif$7 or shift$5 or balanc$5 or reduc$5 or push$5 or select$5 or choos$5) with (perceptual$5)) and (gamut with map$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:31
S10	47	((configur$5 or adjust$5 or correct$5 or modif$7 or shift$5) with (perceptual$5)) and (gamut with map$5) and ((reduc$5 or lower$5 or limit$5 or bound$5 or threshold$5) with (distance or magnitude or amount or vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:33
S11	4	((configur$5 or adjust$5 or correct$5 or modif$7 or shift$5) with (perceptual$5)) and (gamut with map$5) and (((reduc$5 or lower$5 or limit$5 or bound$5 or threshold$5) with (distance or magnitude or amount or vector)) same (map$5) same ((within or inside or "in" or internal$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:40
S12	16	("5450216" | "5510910" | "5563724" | "5611030" | "5734802" | "6005968" | "6023527" | "6088038" | "6101272" | "6128022" | "6151136" | "6154217" | "6362808" | "6633668").PN. OR ("6719392").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 10:37
S13	2	S12 and (((reduc$5 or lower$5 or limit$5 or bound$5 or threshold$5) with (error or distance or magnitude or amount or vector)) same (map$5) same ((within or inside or "in" or internal$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:45
S14	2	"5,650,942".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:44

EAST Search History

S15	2	S12 and (((reduc$5 or lower$5 or limit$5 or bound$5 or threshold$5 or control$5) with (error or distance or magnitude or amount or vector)) same (map$5) same ((within or inside or "in" or internal$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:46
S16	3738	(((reduc$5 or lower$5 or limit$5 or bound$5 or threshold$5 or control$5) with (error or distance or magnitude or amount or vector)) with (map$5) with ((within or inside or "in" or internal$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:52
S17	3	S16 and (perceptual same gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:51
S18	33	S16 and (map$5 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:54
S19	140	(((reduc$5 or lower$5 or limit$5 or bound$5 or threshold$5 or control$5) with (error or distance or magnitude or amount or vector)) with (map$5) with ((within or inside or "in" or internal$5) near3 (range or gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:00
S20	7	S19 and (map$5 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:01
S21	1088	((reduc$5 or lower$5 or limit$5 or bound$5 or threshold$5 or control$5) with (map$5) with (within or inside or "in" or internal$5) near3 (range or gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:00
S22	128	S21 and (map$5 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:23
S23	1	"835163".ap. and updat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:24
S24	1	"835163".ap. and updat$5 same boundary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:25
S25	2	"6999200".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:30
S26	0	"6999200".pn. and calibrat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:26
S27	0	"6999200".pn. and updat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:26

S28	0	"6999200".pn. and latest$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:26
S29	1	((sensor or sensing) with (scan$5 or read$5) with (patch or sample) with print$5) and (updat$5 with print$5 with (gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:41
S30	2	"6437792".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:42
S31	1	"6437792".pn. and colorimetric adj2 area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:46
S32	0	"6437792".pn. and point with b	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:47
S33	1	"6437792".pn. and point with a	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:04
S34	3	"6549654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:19
S35	1	"835163".ap. and print near2 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:00
S36	3	"6549654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:30
S37	0	"6549654".pn. and (server with (select$5 or choos$5) with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:30
S38	0	"6549654".pn. and (server same (select$5 or choos$5) with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:30
S39	3	"6549654".pn. and ((select$5 or choos$5) with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:30
S40	1	"6549654".pn. and ((select$5 or choos$5) with printer) and (network adj2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:37

S41	1	"6549654".pn. and ((select$5 or choos$5) with (client or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:37
S42	3	"6549654".pn. and ((select$5 or choos$5) same3 (client or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:38
S43	1	"6549654".pn. and ((select$5 or choos$5) same (client or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:38
S44	1	"6549654".pn. and ((select$5 or choos$5) same (application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:38
S45	2	"6549654".pn. and ((select$5 or choos$5) same (automatic$5 or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:39
S46	1	"6549654".pn. and ((select$5 or choos$5) same (application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:56
S47	1	"6549654".pn. and (network adj2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:42
S48	3	"6549654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:57
S49	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:57
S50	1	"6222648".pn. and (sens$5 same updat$5 same (patch or sample))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:01
S51	1	"6222648".pn. and (updat$5 same gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:15
S52	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:16
S53	0	(user with (select$5 or choos$5 or indicat$5 or designat$5) with (color near3 accura$5)) same ((select$5 or choos$5) with (absolute near3 colorimetric$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:18

S54	0	(user same (color near3 accura$5)) same ((select$5 or choos$5) with (absolute near3 colorimetric$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:19
S55	0	((color near3 accura$5)) same ((select$5 or choos$5) with (absolute near3 colorimetric$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:19
S56	4	((color near3 accura$5)) and ((select$5 or choos$5) with (absolute near3 colorimetric$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:26
S57	1	((color near3 accura$5)) same ((absolute near3 colorimetric$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:20
S58	517	((color near3 accura$5) with (user)) ((absolute near3 colorimetric$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:20
S59	0	((color near3 accura$5) with (user)) and ((absolute near3 colorimetric$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:21
S60	0	((color near3 accura$5) and (user)) and ((absolute near3 colorimetric$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:22
S61	1	((user)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:21
S62	0	((color near3 accura$5) and (operator)) and ((absolute near3 colorimetric$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:21
S63	0	((color near3 accura$5) same (author)) and ((absolute near3 colorimetric$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:23
S64	1	((accura$5) same (author)) and ((absolute near3 colorimetric$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:24
S65	1	((accura$5 or preserv$5) same (author)) and ((absolute near3 colorimetric$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:24
S66	1	((accura$5 or preserv$5) same (author)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:25

S67	1	((accura$5 or separat$5) same (author)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:25
S68	0	((user or operator) with (input$5 or select$5 or choos$5 or indicat$3 or designat$5) near4 accura$5) same ((select$5 or choos$5 or using or use or map$5) with (absolute near3 colorimetric$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:28
S69	0	((user or operator) with (prefer$5 or input$5 or select$5 or choos$5 or indicat$3 or designat$5) near4 accura$5) same ((select$5 or choos$5 or using or use or map$5) with (absolute near3 colorimetric$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:28
S70	0	((user or operator or author$5) with (prefer$5 or input$5 or select$5 or choos$5 or indicat$3 or designat$5) near4 accura$5) same ((select$5 or choos$5 or using or use or map$5) with (absolute near3 colorimetric$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:31
S71	0	((prefer$5 or input$5 or select$5 or choos$5 or indicat$3 or designat$5) near4 accura$5) same ((select$5 or choos$5 or using or use or map$5) with (absolute near3 colorimetric$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:29
S72	2	(accura$5) same ((select$5 or choos$5 or using or use or map$5) with (absolute near3 colorimetric$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:30
S73	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:11
S74	10	((user or operator or author$5) with (prefer$5 or input$5 or select$5 or choos$5 or indicat$3 or designat$5)) same ((select$5 or choos$5 or using or use or map$5) with (absolute near3 colorimetric$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:34
S75	21	((user or operator or author$5) with (prefer$5 or input$5 or select$5 or choos$5 or indicat$3 or designat$5)) and ((select$5 or choos$5 or using or use or map$5) with (absolute near3 colorimetric$5)) and ((select$5 or choos$5 or using or use or map$5) with (percep$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:40
S76	5	((user or operator or author$5) with (prefer$5 or input$5 or select$5 or choos$5 or indicat$3 or designat$5)) and ((select$5 or choos$5 or using or use or map$5) with (absolute near3 colorimetric$5)) and ((select$5 or choos$5 or using or use or map$5) with (percep$7)) and accura$6 and (preserv$5 or conserv$5 or maintain$5 or keep$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:43
S77	0	((user or operator or author$5) with (intent$5 or prefer$5 or input$5 or select$5 or choos$5 or indicat$3 or designat$5) with (preserv$5 or conserv$5 or maintain$5 or keep$5)) and ((select$5 or choos$5 or using or use or map$5) with (absolute near3 colorimetric$5)) and ((select$5 or choos$5 or using or use or map$5) with (percep$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:50
S78	0	"835163".ap. and Compar$5 with respon$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:47
S79	1	"835163".ap. and Compar$5 same (absolute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:47

S80	15	((user or operator or author$5) with (intent$5 or prefer$5 or input$5 or select$5 or choos$5 or indicat$3 or designat$5)) and ((absolute or colorimetr$5 or percep$6) same (preserv$5 or conserv$5 or maintain$5 or keep$5)) and ((select$5 or choos$5 or using or use or map$5) with (absolute near3 colorimetric$5)) and ((select$5 or choos$5 or using or use or map$5) with (percep$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:51
S81	0	"6437792".pn. and (user with k)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:11
S82	0	"6437792".pn. and (user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/06/19 15:11
S83	0	"6437792".pn. and (operator with k)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:12
S84	2	"6437792".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:24
S85	3	"6549654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:24
S86	26	(map$5 with (absolute)) and (map$5 with percept$6) and ((user or operator or author$5 or designer) with (prefer$5 or intent or render$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 15:42
S87	16	(map$5 with (absolute)) and (map$5 with percept$6) and ((user or operator or author$5 or designer) with (input$5 or interfac$5 or enter$5 or designat$5 or indicat$5) with (prefer$5 or intent or render$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 15:47
S88	0	(map$5 with (absolute)) and (map$5 with percept$6) and ((user or operator or author$5 or designer) with (input$5 or interfac$5 or enter$5 or designat$5 or indicat$5) with (accuracy)) and ((user or operator or author$5 or designer) with (input$5 or interfac$5 or enter$5 or designat$5 or indicat$5) with (preserv$5 or maintain$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 15:49
S89	0	(map$5 with (absolute)) and (map$5 with percept$6) and (((input$5 or interfac$5 or enter$5 or designat$5 or indicat$5) with (intent$5 or need$5 or prefer$6)) same (accura$6 or precis$5)) and (((input$5 or interfac$5 or enter$5 or designat$5 or indicat$5) with (intent$5 or need$5 or prefer$6)) same (preserv$5 or maintain$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 15:52
S90	3	(map$5 same (absolute)) and (map$5 same percept$6) and· (((input$5 or interfac$5 or enter$5 or designat$5 or indicat$5) with (intent$5 or need$5 or prefer$6)) same (accura$6 or precis$5)) and (((input$5 or interfac$5 or enter$5 or designat$5 or indicat$5) with (intent$5 or need$5 or prefer$6))·same (preserv$5 or maintain$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 15:56
S91	1	"835163".ap. and (author$5 with accur$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 15:55

S92	43	(map$5 same (absolute)) and (map$5 same percept$6) and (((input$5 or interfac$5 or enter$5 or designat$5 or indicat$5)) same (accura$6 or precis$5)) and (((input$5 or interfac$5 or enter$5 or designat$5 or indicat$5)) same (preserv$5 or maintain$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:05
S93	0	"5510910".pn. and (user same (accura$5 or preserv$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:03
S94	1	"5510910".pn. and (user and (accura$5 or preserv$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:03
S95	4	(map$5 same (absolute)) and (map$5 same percept$6) and ((user or operator or author$5) with (input$5 or interfac$5 or enter$5 or designat$5 or indicat$5)) same ((select$5 or choos$5 or designat$5 or appl$7) with (absolute)) and ((user or operator or author$5) with (input$5 or interfac$5 or enter$5 or designat$5 or indicat$5)) same ((select$5 or choos$5 or designat$5 or appl$7) with (absolute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:08
S96	4	(map$5 same (absolute)) and (map$5 same percept$6) and ((user or operator or author$5) with (input$5 or interfac$5 or enter$5 or designat$5 or indicat$5)) same ((select$5 or choos$5 or designat$5 or appl$7) with (absolute)) and ((user or operator or author$5) with (input$5 or interfac$5 or enter$5 or designat$5 or indicat$5)) same ((select$5 or choos$5 or designat$5 or appl$7) with (c$1lorimet$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:11
S97	24	(map$5 same (absolute or colorimetr$5 or calorimetr$5)) and (map$5 same percept$6) and ((user or operator or author$5) with (input$5 or interfac$5 or enter$5 or designat$5 or indicat$5)) same ((select$5 or choos$5 or designat$5 or appl$7) with (absolute or colorimetr$5 or calorimetr$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:14
S98	29	(map$5 same (absolute or colorimetr$5 or calorimetr$5)) and (map$5 same percept$6) and ((user or operator or author$5) with (input$5 or interfac$5 or enter$5 or designat$5 or indicat$5 or specifies or specified or specification or specify)) same ((select$5 or choos$5 or designat$5 or appl$7) with (absolute or colorimetr$5 or calorimetr$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:17
S99	2	S98 and ((user or operator or author$5) with (input$5 or interfac$5 or enter$5 or designat$5 or indicat$5 or specifies or specified or specification or specify)) same ((select$5 or choos$5 or designat$5 or appl$7) with (percept$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:18
S100	1256	((user or operator or author$5) with (input$5 or interfac$5 or enter$5 or designat$5 or indicat$5 or specifies or specified or specification or specify)) same ((select$5 or choos$5 or designat$5 or appl$7) with (absolute or colorimetr$5 or calorimetr$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:21
S101	15	S100 and ((user or operator or author$5) with (input$5 or interfac$5 or enter$5 or designat$5 or indicat$5 or specifies or specified or specification or specify)) same ((select$5 or choos$5 or designat$5 or appl$7) with (percept$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:21
S102	52542	((select$5 or choos$5 or designat$5 or appl$7) with (absolute or colorimetr$5 or calorimetr$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:25
S103	487	S102 and ((select$5 or choos$5 or designat$5 or appl$7) with (percept$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:26

S10 4	46	S103 and (gamut with map$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:26
S10 5	1683	((user or operator or author$5) with (select$5 or choos$5 or designat$5 or appl$7) with (absolute or colorimetr$5 or calorimetr$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:27
S10 6	25	S105 and ((user or operator or author$5) with (select$5 or choos$5 or designat$5 or appl$7) with (percept$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:26
S10 7	2	S106 and (gamut with map$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:30
S10 8	34464	((user or operator or author$5) with (select$5 or choos$5 or designat$5 or appl$7) with (prefer$5 or intent$5 or render$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:48
S10 9	108	S108 and ((prefer$5 or intent$5 or render$5) with (preserv$5 or keep$5 or maintain$5) with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:29
S11 0	478	S108 and ((prefer$5 or intent$5 or render$5) with ("same" or similar or match$5 or preserv$5 or keep$5 or maintain$5) with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:49
S11 1	60	S110 and (gamut with map$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:33
S11 2	20	S110 and (gamut with map$5) and (absolute and (colorimetr$5 or calorimetr$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:39
S11 3	14	S110 and (gamut with map$5) and (((relative or absolute) near3 (colorimetr$5 or calorimetr$5)) and percept$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:47
S11 4	15	S110 and (gamut with (compress$5 or adjust$5 or transform$5 or conver$5 or map$5)) and (((relative or absolute) near3 (colorimetr$5 or calorimetr$5)) and percept$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:50
S11 5	54579	((user or operator or author$5) with (select$5 or choos$5 or designat$5 or appl$7 or indicat$5 or determin$5 or judg$5 or input$5 or enter$5 or interfac$5) with (prefer$5 or intent$5 or render$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:54
S11 6	756	S115 and ((prefer$5 or intent$5 or render$5) with (accura$6 or precis$5 or "same" or similar or match$5 or preserv$5 or keep$5 or maintain$5) with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:55

EAST Search History

S11 7	18	S116 and (gamut with (remap$5 or shrink$5 or reduc$5 or compress$5 or adjust$5 or transform$5 or conver$5 or map$5)) and (((relative or absolute) near3 (colorimetr$5 or calorimetr$5)) and percept$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:56
S11 8	85023	((user or operator or author$5) with (select$5 or choos$5 or designat$5 or appl$7 or indicat$5 or determin$5 or judg$5 or input$5 or enter$5 or interfac$5) with ("desire" or strategy or prefer$5 or intent$5 or render$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:54
S11 9	887	S118 and (("desire" or strategy or prefer$5 or intent$5 or render$5) with (accura$6 or precis$5 or "same" or similar or match$5 or preserv$5 or keep$5 or maintain$5) with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:55
S12 0	19	S119 and (gamut with (remap$5 or shrink$5 or reduc$5 or compress$5 or adjust$5 or transform$5 or conver$5 or map$5)) and (((relative or absolute) near3 (colorimetr$5 or calorimetr$5)) and percept$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:02
S12 1	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:59

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	44400	(plural$5 near4 (printer or printing or (image adj2 reproduc$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:24
S2	0	S1 and ((user or operator or author$5) with (select$5 or choos$5 or designat$5 or appl$7 or indicat$5 or determin$5 or judg$5 or input$5 or enter$5 or interfac$5) with (absolute adj2 (colorimetr$5 or calorimetr$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:19
S3	3	S1 and ((user or operator or author$5) with (select$5 or choos$5 or designat$5 or appl$7 or indicat$5 or determin$5 or judg$5 or input$5 or enter$5 or interfac$5) with (intent$5 or prefer$6) same (percept$6) same (absolute adj2 (colorimetr$5 or calorimetr$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:20
S4	4	S1 and ((user or operator or author$5) with (select$5 or choos$5 or designat$5 or appl$7 or indicat$5 or determin$5 or judg$5 or input$5 or enter$5 or interfac$5) with (intent$5 or prefer$6) and ((intent$5 or prefer$6) with (percept$6)) and ((intent$5 or prefer$6) with (absolute adj2 (colorimetr$5 or calorimetr$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:43
S5	6	S1 and ((select$5 or choos$5 or designat$5 or appl$7 or indicat$5 or determin$5 or judg$5 or input$5 or enter$5 or interfac$5) with (intent$5 or prefer$6) and ((intent$5 or prefer$6) with (percept$6)) and ((intent$5 or prefer$6) with (absolute adj2 (colorimetr$5 or calorimetr$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:21
S6	6	S1 and ((select$5 or choos$5 or designat$5 or appl$7 or indicat$5 or determin$5 or judg$5 or input$5 or enter$5 or interfac$5) with (strategy or intent$5 or prefer$6) and ((strategy or intent$5 or prefer$6) with (percept$6)) and ((strategy or intent$5 or prefer$6) with (absolute adj2 (colorimetr$5 or calorimetr$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:25
S7	80960	(plural$5 near4 (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:24
S8	6	S7 and ((select$5 or choos$5 or designat$5 or appl$7 or indicat$5 or determin$5 or judg$5 or input$5 or enter$5 or interfac$5) with (strategy or intent$5 or prefer$6) and ((strategy or intent$5 or prefer$6) with (percept$6)) and ((strategy or intent$5 or prefer$6) with (absolute adj2 (colorimetr$5 or calorimetr$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:26
S9	366	S7 and ((select$5 or choos$5 or designat$5 or appl$7 or indicat$5 or determin$5 or judg$5 or input$5 or enter$5 or interfac$5) with (percept$6 or (absolute adj2 (colorimetr$5 or calorimetr$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:27
S10	341	S9 and ((select$5 or choos$5 or designat$5 or appl$7 or indicat$5 or determin$5 or judg$5 or input$5 or enter$5 or interfac$5) with (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:28
S11	255	S9 and ((select$5 or choos$5 or designat$5) with (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:28
S12	47	S9 and (((select$5 or choos$5 or designat$5) with (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc$5))) same (percept$6 or (absolute adj2 (colorimetr$5 or calorimetr$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:32

S13	8	((select$5 or choos$5 or designat$5) with (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc$5)) with (based or basing or depend$5 or function or relat$5) with (render$3 adj2 (intent or prefer$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:34
S14	21	((select$5 or choos$5 or designat$5) with (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc$5)) with (render$3 adj2 (intent or prefer$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:39
S15	28	((select$5 or choos$5 or designat$5) with (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc$5)) same ((render$3 adj2 (intent or prefer$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:39
S16	4	((select$5 or choos$5 or designat$5) with (absolute adj2 (colorimetr$5 or calorimetr$5))) and ((select$5 or choos$5 or designat$5) with (perceptual$5 or percept$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:45
S26	3	"632858".ap. and product	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:55
S27	1	"420730".ap. and "5901"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 13:07
S28	0	"420730".ap. and intent$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:22
S29	4	"420730".ap. and character$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:48
S30	1	"7082227".pn. and (country or geograph$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:49
S31	1	"6795084".pn. and (country or geograph$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:54
S32	2	"20030048464".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:54
S33	1	"420730".ap. and lut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:56
S34	1	"420730".ap. and interpol$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:43

S35	7	((select$5 or choos$5 or designat$5) near4 (printer or printing) with (rendering adj2 intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:47
S36	257	((select$5 or choos$5 or designat$5) near4 (printer or printing) with (rendering))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:50
S37	15	S36 and (rendering near3 (prefer$5 or intent$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:48
S38	9	((select$5 or choos$5 or designat$5) near4 (printer or printing) same ((select$5 or choos$5 or designat$5) near5 (rendering near3 (intent$5 or prefer$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:51
S39	9	((select$5 or choos$5 or designat$5 or assign$6) near4 (printer or printing) same ((select$5 or choos$5 or designat$5) near5 (rendering near3 (intent$5 or prefer$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:52
S40	9	((select$5 or choos$5 or designat$5 or assign$6) near4 (printer or printing) same ((select$5 or choos$5 or designat$5 or input$5 or enter$5) near5 (rendering near3 (intent$5 or prefer$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:53
S41	0	((plural$5) near4 (printer or printing) same ((select$5 or choos$5 or designat$5 or input$5 or enter$5) near5 (rendering near3 (intent$5 or prefer$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:54
S42	8	(plural$5) adj2 (printer or printing)) and ((select$5 or choos$5 or designat$5 or input$5 or enter$5) near5 (rendering near3 (intent$5 or prefer$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:08
S43	3	"791007".ap. and (render$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:00
S44	3	"791007".ap. and (render$5) same select$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:02
S45	1	"835163".ap. and (author$5 with indicat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:03
S46	0	"835163".ap. and (author$5 with preserv$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:03
S47	0	"835163".ap. and (author$5 with separat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:03

S48	0	"835163".ap. and (author$5 same separat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:03
S49	1	"835163".ap. and (author$5 with (accura$5 or separat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:05
S50	0	"835163".ap. and (author$5 same (separat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:13
S51	1	"835163".ap. and (author$5 same (preserv$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:06
S52	0	((plural$5) adj2 (printer or printing)) and ((printer or printing) with (absolute adj2 colorimet$5)) and ((printer or printing) with (perceptual$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:09
S53	1	((plural$5) adj2 (printer or printing)) and ((printer or printing) same (absolute adj2 colorimet$5)) and ((printer or printing) same (perceptual$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:10
S54	0	"835163".ap. and (preserv$5 with separat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:13
S55	1	"835163".ap. and (preserv$5 with differ$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:18
S56	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:30
S57	0	"7161710".pn. and (absolut with relative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:30
S58	1	"7161710".pn. and (absolute with relative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:37
S59	1	"7161710".pn. and (us$3 same (percept$5 or colorim$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:38
S60	1	"7161710".pn. and (one$3 same (percept$5 or colorim$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:38

S61	0	((plural$5) near4 (printer or printing or (image adj2 reproduc$5))) and (criteria with (select$5 or choos$5 or designat$5) with (printer or printing or (image adj2 reproduc$5))) and (criteria with (render$5 near3 (intent$5 or prefer$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:56
S62	1	((plural$5) near4 (printer or printing or (image adj2 reproduc$5))) and (criteria with (render$5 near3 (intent$5 or prefer$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:57
S63	1	((plural$5) near4 (printer or printing or (image adj2 reproduc$5))) and ((criteria or criteria) with (render$5 near3 (intent$5 or prefer$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:57
S64	5	((plural$5) near4 (printer or printing or (image adj2 reproduc$5))) and ((criterion or criteria) with (render$5 near3 (intent$5 or prefer$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:59
S65	0	"835163".ap. and (respon$5 with perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:59
S66	1	"835163".ap. and (respon$5 same perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:59
S67	1	"835163".ap. and (respon$5 same intent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 16:00
S68	1	"835163".ap. and (respon$5 same compar$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 16:00
S69	1	"835163".ap. and (intent same compar$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 16:00